

Exterior Masonry Creme



For use on bare natural mineral surfaces, such as brick, stone, concrete or sandstone.

Initial Surface Condition: There may be general airborne contamination including dirt, carbon emissions, moss, lichen etc.

Preparation: Wash the wall areas using a low pressure power washer, removing as much contamination, moss and lichen as possible. Check for damaged or missing pointing/mortar. Mortar joints and large cracks should be re-pointed with a suitable repair system. Allow the pointing to completely cure. Apply Emperor Cleaning Solution on to all areas that have had moss, mould or fungal growth. Allow to dry for a minimum 3 hours at 20°C temperature. At lower temperatures the drying time will be extended. Then wash off the Emperor Cleaner with fresh water and allow to dry.

Application: Emperor Masonry Creme is a one-coat system. Do not dilute.

- 1) Apply a full coat of Emperor Masonry Creme unthinned and apply a rate of approximately 3-5m² per litre.
- 2) After application check for any missed areas in the form of voids in the brickwork or deep mortar beds. Apply Emperor Masonry Creme by brush into these areas.

On application Emperor Masonry Creme is white and will dry clear. The porosity of the substrate will dictate how long this takes to fully dry.

Application Conditions: Minimum temperature 5°C. Relative humidity should not exceed 80%.

Application Method: Brush, paint roller or paint spray gun. Use in conjunction with product datasheet.

Important Information: For bare, unpainted and untreated surfaces. Not suitable for use on surfaces with previous sealers, paints or other treatments.



*when applied in accordance with the manufacturer's data sheet



To purchase Emperor Paint and associated accessories, such as cleaner, primer and other items, please visit:
www.emperorpaint.co.uk

Unit 32, Peel Industrial Estate,
Chamberhall Street, Bury,
Lancashire, BL9 0LU

info@emperorpaint.co.uk

Tested & approved by the world's
leading scientists